



1901 Landmeier Rd., Elk Grove Village, IL 60007
TOLL FREE: (888) 427-9120 • TEL: (847) 427-9120

<http://www.sankosha-inc.com>

SUPPORTS YOU

SANKOSHA

JAY SONG
Service Specialist
20 Year Veteran
(c) 847-909-0782
jaysong@sankosha-inc.com

ERIC LEE
Customer Service Manager
15 Year Veteran
(c) 224-217-4073
ericlee@sankosha-inc.com

MICHELLE LEE
Parts Specialist
10 Year Veteran
(c) 847-427-9120 extension #102
mlee@sankosha-inc.com

FROM EXPERIENCE
Sankosha
Sankosha USA Inc.
1901 Landmeier Rd., Elk Grove Village, IL 60007
TOLL FREE: (888) 427-9120 • TEL: (847) 427-9120
<http://www.sankosha-inc.com>

SUPPORTS YOU

SANKOSHA

MIKE TUNGSVICK
National Sales Manager
Midwest Region
(c) 612-817-4538
mike@sankosha-inc.com



BUD BAKKER
Western Region
(c) 224-246-2428
bbakker@sankosha-inc.com

DARREN SQUILLACE
Northeast Region
(c) 224-575-3070
darren@sankosha-inc.com

FROM EXPERIENCE
Sankosha
Sankosha USA Inc.
1901 Landmeier Rd., Elk Grove Village, IL 60007
TOLL FREE: (888) 427-9120 • TEL: (847) 427-9120
<http://www.sankosha-inc.com>

ROOKIE
JEFF QUAIL
Great Lakes

And introducing
our newest member,
Jeff Quail



Whether you purchase a piece of our new or used equipment, you become a part of the Sankosha family.

And you get the highest standard of service plus

Peace of Mind



Sankosha USA Inc.
TOLL FREE: (888) 427-9120 • TEL: (847) 427-9120
<http://www.sankosha-inc.com>



FINISHING SOLUTIONS
LAUNDRY



LP-190U-V2

DOUBLE BUCK SHIRT PRESS



PRODUCT SPECIFICATIONS

POWER:

220V, 3Ph, 12A

AIR PRESSURE:

85 psi / 0.6 Mpa

AIR CONSUMPTION:

2 cfm

STEAM PRESSURE:

85-120 psi

STEAM CONSUMPTION:

4 BHP

AIR CONNECTION:

3/8

STEAM CONNECTION:

Inlet 3/4, Outlet 1/2 x 3

WEIGHT:


2700 lbs.

DIMENSION (WxDxH):

2380x2270x2100 (mm) 94x90x83 (inch)

LP-1300U

QUADRUPLE COLLAR & CUFF



PRODUCT SPECIFICATIONS

POWER:

220V, 3Ph, 5.2A

AIR PRESSURE:

85 psi / 0.6 Mpa

AIR CONSUMPTION:

2 cfm

STEAM PRESSURE:

85-120 psi

STEAM CONSUMPTION:

2 BHP

AIR CONNECTION:

3/8

STEAM CONNECTION:

Inlet 1/2, Outlet 1/2

WEIGHT:

1320 lbs.

DIMENSION (WxDxH):

1385x1370x1790 (mm) 55x54x71 (inch)

LP-5600U

HIGH SPEED SINGLE BUCK
SHIRT PRESS



PRODUCT SPECIFICATIONS

POWER:

220V, 3Ph, 10A

AIR PRESSURE:

90 psi / 0.6 Mpa

AIR CONSUMPTION:

1.8 cfm

STEAM PRESSURE:

85-120 psi

STEAM CONSUMPTION:

3 BHP

AIR CONNECTION:

3/8

STEAM CONNECTION:

Inlet 3/4, Outlet 1/2 x 3

WEIGHT:

1555 lbs.

DIMENSION (WxDxH):

2500x1250x2030 (mm) 98x49x80 (inch)

LP-6000U

HIGH SPEED SINGLE COLLAR
CUFF PRESS



PRODUCT SPECIFICATIONS

POWER:

220V, 1Ph, 0.4A

AIR PRESSURE:

90 psi / 0.6 Mpa

AIR CONSUMPTION:

1 cfm

STEAM PRESSURE:

85-120 psi

STEAM CONSUMPTION:

1 BHP

AIR CONNECTION:

3/8

STEAM CONNECTION:

Inlet 3/4, Outlet 1/2

WEIGHT:

572 lbs.

DIMENSION (WxDxH):

750x1050x1700 (mm) 30x41x67 (inch)

MF-300U

MULTI GARMENT FINISHER



PRODUCT SPECIFICATIONS

POWER:

220V, 3Ph, 8A

AIR PRESSURE:

73 psi / 0.5 Mpa

AIR CONSUMPTION:

0.2 cfm

STEAM PRESSURE:

85-120 psi

STEAM CONSUMPTION:

2 BHP

AIR CONNECTION:

1/4

STEAM CONNECTION:

Inlet 1/2, Outlet 1/2

WEIGHT:

463 lbs.

DIMENSION (WxDxH):

2070x1120x1680 (mm) 82x44x66 (inch)

LP-685U

DOUBLE COLLAR CUFF
VACUUM TYPE



PRODUCT SPECIFICATIONS

POWER:

220V, 3Ph, 1.6A

AIR PRESSURE:

85-120 psi

AIR CONSUMPTION:

0.5 cfm

STEAM PRESSURE:

85 psi / 0.6 Mpa

STEAM CONSUMPTION:

1 BHP

AIR CONNECTION:

3/8

STEAM CONNECTION:

Inlet 1/2, Outlet 1/2

WEIGHT:

775 lbs.

DIMENSION (WxDxH):

1000x880x1525 (mm) 39x34x60 (inch)

AHP-218U

HOT HEAD MUSHROOM PRESS



PRODUCT SPECIFICATIONS

POWER:

110/220V, 1Ph, 0.14A

AIR PRESSURE:

85-120 psi

AIR CONSUMPTION:

0.5 cfm

STEAM PRESSURE:

73 psi / 0.5 Mpa

STEAM CONSUMPTION:

1 BHP

AIR CONNECTION:

3/8

STEAM CONNECTION:

Inlet 1/2, Outlet 1/2

WEIGHT:


520 lbs.

DIMENSION (WxDxH):

720x996x1285 (mm) 28x39x51 (inch)

AHP-336U

HOT HEAD DOUBLE TOPPER PRESS



PRODUCT SPECIFICATIONS

POWER:

110/220V, 1Ph, 0.14A

AIR PRESSURE:

85-120 psi

AIR CONSUMPTION:

0.5 cfm

STEAM PRESSURE:

73 psi / 0.5 Mpa

STEAM CONSUMPTION:

1 BHP

AIR CONNECTION:

3/8

STEAM CONNECTION:

Inlet 1/2, Outlet 1/2

WEIGHT:

810 lbs.

DIMENSION (WxDxH):

1220x946x1615 (mm) 48x37x64 (inch)

AHP-554U

HOT HEAD LEGGER PRESS



PRODUCT SPECIFICATIONS

POWER:

110/220V, 1Ph, 0.14A

AIR PRESSURE:

85-120 psi

AIR CONSUMPTION:

0.5 cfm

STEAM PRESSURE:

73 psi / 0.5 Mpa

STEAM CONSUMPTION:

1 BHP

AIR CONNECTION:

3/8

STEAM CONNECTION:

Inlet 1/2, Outlet 1/2

WEIGHT:


850 lbs.

DIMENSION (WxDxH):

1500x996x1250 (mm) 59x39x49 (inch)

AHP-654U

HOT HEAD UTILITY PRESS



PRODUCT SPECIFICATIONS

POWER:

110/220V, 1Ph, 0.14A

AIR PRESSURE:

85-120 psi

AIR CONSUMPTION:

0.5 cfm

STEAM PRESSURE:

73 psi / 0.5 Mpa

STEAM CONSUMPTION:

1 BHP

AIR CONNECTION:

3/8

STEAM CONNECTION:

Inlet 1/2, Outlet 1/2

WEIGHT:

920 lbs.

DIMENSION (WxDxH):

1500x996x1250 (mm) 59x39x49 (inch)

LAYOUT COMBINATIONS

System A

LP5600 + LP6000 1-person Operation

133"

70"

Up to **90** Shirts/hr

System B

LP5600x2 + LP6000x2 2-person Operation

260"

70"

Up to **180** Shirts/hr

System C

LP190 + LP6000x2 2-person Operation

112"

Up to **120** Shirts/hr

System D

LP190 + LP685 2-person Operation

132"

124"

Up to **120** Shirts/hr

LAYOUT COMBINATIONS

System E

LP190 + LP1300 2-person Operation

165"

103"

Up to **120** Shirts/hr

System F

LP190x2 + LP1300 3-person Operation

108"

Up to **240** Shirts/hr

System G

LP190 + LP685x2 3-person Operation

285"

108"

Up to **240** Shirts/hr

System H

MF300 + LP685 1-person Operation

112"

72"

Up to **40** Shirts/hr

System I

MF300 + LP685 + LP5600 2-person Operation

48"


Up to **40** Shirts/hr

Up to **75** Shirts/hr



Whether you purchase a piece of our new or used equipment, you become a part of the Sankosha family. And you get the highest standard of service plus

Peace of Mind




Sankosha USA Inc.
 1901 Landmeier Rd., Elk Grove Village, IL 60007
 TOLL FREE: (800) 627-9128 • TEL: (631) 627-9128
<http://www.sankosha-inc.com>

FINISHING SOLUTIONS
DRY CLEANING



DF-100U-V3

ROTARY FORM FINISHER



PRODUCT SPECIFICATIONS

POWER:

220V, 1Ph, 10A

AIR PRESSURE:

73 psi / 0.5 MPa

AIR CONSUMPTION:

0.25 cfm

STEAM PRESSURE:

75-120 psi

STEAM CONSUMPTION:

1 BHP

AIR CONNECTION:

1/4

STEAM CONNECTION:

Inlet 1/2, Outlet 1/2

WEIGHT:

365 lbs.

DIMENSION (WxDxH):

1110x970x2170 (mm) 44x38x85 (inch)

DF-200U

ROTARY FORM FINISHER



PRODUCT SPECIFICATIONS

POWER:

220V, 1Ph, 10A

AIR PRESSURE:

73 psi

AIR CONSUMPTION:

0.25 cfm

STEAM PRESSURE:

75-120 psi

STEAM CONSUMPTION:

1 BHP

AIR CONNECTION:

3/8

STEAM CONNECTION:

Inlet 1/2, Outlet 1/2

WEIGHT:

352 lbs.

DIMENSION (WxDxH):

1110x900x2115 (mm) 44x36x83 (inch)

DF-050U-V4

FORM FINISHER



PRODUCT SPECIFICATIONS

POWER:

220V, 1Ph, 6A

AIR PRESSURE:

73 psi

AIR CONSUMPTION:

0.25 cfm

STEAM PRESSURE:

75-120 psi

STEAM CONSUMPTION:

1 BHP

AIR CONNECTION:

1/4

STEAM CONNECTION:

Inlet 1/2, Outlet 1/2

WEIGHT:

225 lbs.

DIMENSION (WxDxH):

740x720x2040 (mm) 29x28x80 (inch)

DF-740U-V3

TENSIONING PANTS TOPPER



PRODUCT SPECIFICATIONS

POWER:

220V, 1Ph, 2.5A

AIR PRESSURE:

85 psi / 0.6 MPa

AIR CONSUMPTION:

0.25 cfm

STEAM PRESSURE:

75-120 psi

STEAM CONSUMPTION:

1 BHP

AIR CONNECTION:

1/4

STEAM CONNECTION:

Inlet 1/2, Outlet 1/2

WEIGHT:

269 lbs.

DIMENSION (WxDxH):

710x1280x1790 (mm) 28x50x67 (inch)

SDP-880U

DOUBLE LEGGER PRESS



PRODUCT SPECIFICATIONS

POWER:

220V, 1Ph, 4A

AIR PRESSURE:

85 psi / 0.6 MPa

AIR CONSUMPTION:

0.5 cfm

STEAM PRESSURE:

85-120 psi

STEAM CONSUMPTION:

1.5 BHP

AIR CONNECTION:

3/8

STEAM CONNECTION:

Inlet 1/2, Outlet 1/2

WEIGHT:

1056 lbs.

DIMENSION (WxDxH):

1900x1020x1490 (mm) 75x40x59 (inch)

HDP-420TU

HOT HEAD UTILITY PRESS



PRODUCT SPECIFICATIONS

POWER:

220V, 3Ph, 5A

AIR PRESSURE:

73 psi / 0.5 MPa

AIR CONSUMPTION:

0.5 cfm

STEAM PRESSURE:

85-120 psi

STEAM CONSUMPTION:

1 BHP

AIR CONNECTION:

3/8

STEAM CONNECTION:

Inlet 1/2, Outlet 1/2

WEIGHT:

690 lbs.

DIMENSION (WxDxH):

1895x1005x1550 (mm) 63x40x61 (inch)

DP-420TU-V2

UTILITY PRESS



PRODUCT SPECIFICATIONS

POWER:

220V, 1Ph, 5A

AIR PRESSURE:

73 psi / 0.5 MPa

AIR CONSUMPTION:

0.5 cfm

STEAM PRESSURE:

85-120 psi

STEAM CONSUMPTION:

1 BHP

AIR CONNECTION:

3/8

STEAM CONNECTION:

Inlet 1/2, Outlet 1/2

WEIGHT:


690 lbs.

DIMENSION (WxDxH):

1895x1005x1550 (mm) 63x40x61 (inch)

HDP-610TU

HOT HEAD LEGGER PRESS



PRODUCT SPECIFICATIONS

POWER:

220V, 3Ph, 5A

AIR PRESSURE:

73 psi / 0.5 MPa

AIR CONSUMPTION:

0.5 cfm

STEAM PRESSURE:

85-120 psi

STEAM CONSUMPTION:

1 BHP

AIR CONNECTION:

3/8

STEAM CONNECTION:

Inlet 1/2, Outlet 1/2

WEIGHT:

750 lbs.

DIMENSION (WxDxH):

1895x1005x1550 (mm) 63x40x61 (inch)

DP-610TU-V2

LEGGER PRESS



PRODUCT SPECIFICATIONS

POWER:

220V, 1Ph, 5A

AIR PRESSURE:

73 psi / 0.5 MPa

AIR CONSUMPTION:

0.5 cfm

STEAM PRESSURE:

85-120 psi

STEAM CONSUMPTION:

1 BHP

AIR CONNECTION:

3/8

STEAM CONNECTION:

Inlet 1/2, Outlet 1/2

WEIGHT:

750 lbs.

DIMENSION (WxDxH):

1895x1005x1550 (mm) 63x40x61 (inch)

ADP-218U

DRY CLEANING MUSHROOM PRESS



PRODUCT SPECIFICATIONS

POWER:

220V, 3Ph, 2.8A

AIR PRESSURE:

73 psi / 0.5 MPa

AIR CONSUMPTION:

0.5 cfm

STEAM PRESSURE:

85-120 psi

STEAM CONSUMPTION:

1 BHP

AIR CONNECTION:

3/8

STEAM CONNECTION:

Inlet 1/2, Outlet 1/2

WEIGHT:


495 lbs.

DIMENSION (WxDxH):

720x996x1285 (mm) 28x39x51 (inch)

HDP-221TU

DRY CLEANING HOT HEAD
MUSHROOM PRESS



PRODUCT SPECIFICATIONS

POWER:

220V, 1Ph, 2.8A

AIR PRESSURE:

85-120 psi

AIR CONSUMPTION:

0.5 cfm

STEAM PRESSURE:

85 psi / 0.5 MPa

STEAM CONSUMPTION:

1 BHP

AIR CONNECTION:

3/8

STEAM CONNECTION:

Inlet 1/2, Outlet 1/2

WEIGHT:

560 lbs.

DIMENSION (WxDxH):

950x925x1525 (mm) 38x37x60 (inch)

SP-010U

TRIPLE PUFF IRONS



PRODUCT SPECIFICATIONS

STEAM PRESSURE:

75-120 psi

STEAM CONSUMPTION:

1 BHP

STEAM CONNECTION:

Inlet 1/2, Outlet 1/2

WEIGHT:

275 lbs.

DIMENSION (WxDxH):

1895x1005x1550 (mm) 57x47x28 (inch)

SP-011U

SINGLE PUFF IRON



PRODUCT SPECIFICATIONS

STEAM PRESSURE:

75-120 psi

STEAM CONSUMPTION:

1 BHP

STEAM CONNECTION:

Inlet 1/2, Outlet 1/2

WEIGHT:

150 lbs.

DIMENSION (WxDxH):

600x432x1093 (mm) 24x17x43 (inch)

SP-012U

SINGLE PUFF IRONS



PRODUCT SPECIFICATIONS

STEAM PRESSURE:

75-120 psi

STEAM CONSUMPTION:

1 BHP

STEAM CONNECTION:

Inlet 1/2, Outlet 1/2

WEIGHT:

150 lbs.

DIMENSION (WxDxH):

600x432x1093 (mm) 24x17x43 (inch)



Whether you purchase a piece of our new or used equipment, you become a part of the Sankosha family. And you get the highest standard of service plus

Peace of Mind



Sankosha USA Inc.

TOLL FREE: (888) 427-9120 • TEL: (847) 427-9120 • FAX: (847) 427-9634
parts email: sankoshaparts@gmail.com
<http://www.sankosha-inc.com>

FINISHING SOLUTIONS BAGGERS, SPECIALTY MACHINES & ACCESSORIES



PS-290U-V3

AUTOMATIC BAGGER
WITH ELEVATOR



PRODUCT SPECIFICATIONS

POWER:

220V, 3Ph, 9A

AIR PRESSURE:

85 psi / 0.6 MPa

AIR CONSUMPTION:

1.7 cfm

AIR CONNECTION:

1/4

POLY WIDTH:

28"

FINISHING CAPACITY:

240 bundles / hr.

WEIGHT:

726 lbs.

DIMENSION (WxDxH):

1700x1321x2082 (mm) 67x52x82 (inch)

PS-290HU

HEAVY DUTY AUTOMATIC BAGGER



PRODUCT SPECIFICATIONS

POWER:

220V, 3Ph, 7A

AIR PRESSURE:

85 psi / 0.6 MPa

AIR CONSUMPTION:

1.7 cfm

AIR CONNECTION:

3/8

WEIGHT:

770 lbs.

DIMENSION (WxDxH):

1725x1330x2270 (mm) 68x53x90 (inch)

PM-470U

SEMI-AUTOMATIC BAGGER



PRODUCT SPECIFICATIONS

POWER:

220V, 3Ph, 8A

AIR PRESSURE:

85 psi / 0.6 MPa

AIR CONSUMPTION:

1.7 cfm

AIR CONNECTION:

3/8

WEIGHT:

605 lbs.

DIMENSION (WxDxH):

925x925x2050 (mm) 37x37x81 (inch)

SW-100U

STATIONARY WASHER



PRODUCT SPECIFICATIONS

POWER:

1150V, 1Ph, 11A

AIR PRESSURE:

72.5 psi / 0.5 MPa

AIR CONSUMPTION:

3.5 cfm

WEIGHT:

420 lbs.

DIMENSION (WxDxH):

2160x1080x1800 (mm) 85x43x71 (inch)

DS-300U

STATIONARY DRYER



PRODUCT SPECIFICATIONS

POWER:
220V, 3Ph, 4.5A
STEAM PRESSURE:
75-120 psi
STEAM CONSUMPTION:
1 BHP
DIMENSION (WxDxH):
750x1260x1890 (mm) 30x50x75 (inch)

SKB-1

STEAM CABINET




PRODUCT SPECIFICATIONS

POWER:
110V, 1Ph, 3A
STEAM PRESSURE:
75-120 psi
STEAM CONSUMPTION:
1.5 BHP
STEAM CONNECTION:
Inlet 1/2, Outlet 1/2
WEIGHT:
242 lbs.
DIMENSION (WxDxH):
686x712x2311 (mm) 27x28x91 (inch)

SD-035JS SD-056JS

SHOE DRYER 35 PAIR and 56 PAIR



PRODUCT SPECIFICATIONS

SD-035JS

POWER:

100V, 1Ph, 4A

WEIGHT:

258 lbs.

DIMENSION (WxDxH):

965x965x1650 (mm) 38x38x65 (inch)

SD-056JS

POWER:

200V, 3Ph, 5.2A

WEIGHT:

302 lbs.

DIMENSION (WxDxH):

965x965x1676 (mm) 38x38x68 (inch)

SR-200U

SPOTTING BOARD



PRODUCT SPECIFICATIONS

POWER:

115V, 1Ph, 0.12A

AIR CONSUMPTION:

0.3 cfm

STEAM CONSUMPTION:

1 BHP

AIR CONNECTION:

3/8

STEAM CONNECTION:

Inlet 1/2, Outlet 1/2

WEIGHT:

165 lbs.

DIMENSION (WxDxH):

1310x708x1693 (mm) 46x19x37 (inch)

ASP-200U

VACUUM IRONING BOARD



PRODUCT SPECIFICATIONS

POWER:

200V, 3Ph, 2.5A

STEAM PRESSURE:

75-120 psi

STEAM CONSUMPTION:

1 BHP

STEAM CONNECTION:

Inlet 3/8, Outlet 3/8

WEIGHT:

187 lbs.

DIMENSION (WxDxH):

1320x540x930 (mm) 52x22x37 (inch)

ASP-100U

VACUUM SWEATER BOARD



PRODUCT SPECIFICATIONS

POWER:

200V, 3Ph, 2.5A

STEAM PRESSURE:

75-120 psi

STEAM CONSUMPTION:

1 BHP

STEAM CONNECTION:

Inlet 3/8, Outlet 3/8


WEIGHT:

264 lbs.

DIMENSION (WxDxH):

1200x810x930 (mm) 47x32x37 (inch)

SCREW CONVEYOR PARTS




PRODUCT FEATURES


- INCREASES YOUR PROFITS & EFFICIENCY**
- EASY TO ADD TO YOUR PRODUCTION LINE**
- LOADS FROM EITHER SIDE**



COOL CURTAINS FOR SINGLE OR DOUBLE BUCK SHIRT PRESS





EASY INSTALLATION



PRODUCT FEATURES


- AVAILABLE FOR**
LP-175U, LP-185U, LP-190U, LP-580U, LP-590U
- ENCLOSE HEAT AND EXHAUST**
Cooler ambient temperature for higher productivity
- ECONOMIC AND EFFICIENT**
Reduce finishing time by recycling hot air
- REDUCE NOISE**
Creates a stress-free working environment
- KEEP MACHINES DUST FREE**
Prolong machine's longevity, maintaining original performance
- EASE OF SET-UP**
Designed for easy installation

SHIRT HOOK



**SHIRT HOOK
INSTALLATION**

4 BALL HANGER



HEATED AND SLOTTED COLLAR CONES



Handy Hanger Reservoir
holds up to 20 hangers or
you can use the hanger
arm, if preferred.

PRODUCT FEATURES

**MOST SHIRT CUFFS ARE DOUBLE LAYERED,
BUT COLLARS ARE TRIPLE LAYERED
AND REQUIRE LONGER CURING.**

**OUR CONES WILL NOT BURN YOUR
FINGERS, OR OXIDIZE LIKE OTHER CONES.**

UNIQUE DESIGN

Allows for proper collar finish on 13" to 22" collars

**HANGERS SET DEEP INTO THE CONE
SO YOU ALWAYS BREAK THE COLLAR
ON THE CONE, NOT THE HANGER.**

**AVAILABLE IN BOTH
SINGLE AND TRIPLE HEADS**

SLEEVER BOARD

WITH COVERS



SLEEVER EXPANDERS



Two Soft Sleevers
Included

PRODUCT FEATURES

LIGHTWEIGHT AND EASIER TO USE

FITS ANY SIZE & SHAPE

NO CREASE ON SLEEVES

SOFT FINISHING

With air pocket retainer



FACTORY ORIGINAL REPLACEMENT COVER AND PADS



FINISH QUALITY

Our covers and pads not only fit better and last longer, but also provide the finish quality you have come to expect and demand. By using our factory original made products, Sankosha machines are designed to press at their optimum capacity as well as providing maximum longevity.

HANGER RACK



APOLLO STEAM TRAP




PRODUCT FEATURES

NO LOSS OF STEAM PRESSURE

EASY TO INSTALL

KEEP YOUR STEAM LINES GREEN

APOLLO TRAP INSTALLATION



OVK STEAM TRAP



OVK TRAP INSTALLATION



PIKAL METAL HEAD POLISH



UNIQUE PRODUCT

For nearly 100 years, Pikal® Liquid has been a recognized name for polishing metal surfaces.

It is a unique product that is unlike any other because it can be applied on a cool not hot surface. This not only insures a higher quality of finish but minimizes employees getting burned or possible workers' comp issues each time.

ALL STEAM IRON



PRODUCT FEATURES

ULTRA-LIGHT (2.6 LBS.)

NEW METAL STEAM VALVE BRACKET

ERGONOMIC DESIGN

RADIUSED BASE

For smoother pressing with no leave off marks

**INCLUDES TWO STEAM HOSES,
IRON REST AND HOSE PROTECTOR**

Whether you purchase a piece of our new or used equipment, you become a part of the Sankosha family.

And you get the highest standard of service plus

Peace of Mind



HAPPY
ST. PATRICK'S
DAY!



Sankosha USA Inc.
TOLL FREE: (888) 427-9120 • TEL: (847) 427-9120
<http://www.sankosha-inc.com>



Whether you purchase a piece of our new or used equipment, you become a part of the Sankosha family.

And you get the highest standard of service plus



Sankosha USA Inc.
TOLL FREE: (888) 427-9120 • TEL: (847) 427-9120
<http://www.sankosha-inc.com>



1901 Landmeier Rd., Elk Grove Village, IL 60007
TOLL FREE: (888) 427-9120 • TEL: (847) 427-9120

<http://www.sankosha-inc.com>